

PACIFIC

SOUTHWEST

FOREST & RANGE EXPERIMENT STATION

Berkeley, California

1966


U. S. FOREST SERVICE
RESEARCH NOTE

112

AD 634028

Monthly Fire Behavior Patterns

MARK J. SCHROEDER and CRAIG C. CHANDLER



ABSTRACT: From tabulated frequency distributions of fire danger indexes for a nationwide network of 89 stations, the probabilities of four types of fire behavior ranging from 'fire out' to 'critical' were calculated for each month and are shown in map form.

Have you ever wondered how the fire weather in your area compares with that in other parts of the country? Or why in summer there are usually many

large fires in the West but relatively few in the East? If so, a series of studies conducted jointly by the Forest Service and the Weather Bureau and sponsored by the Office of Civil Defense provides some answers to your questions.

First, we had fire-weather specialists from all regions of the United States identify the weather types associated with critical fire weather in their areas. Then we tabulated the frequency distributions of fire danger indexes for a network of 89 stations covering the 48 contiguous States.¹ Fire danger data were then combined to show the level of fire danger to be expected with each weather type.²

Finally, we established four types of fire behavior based on the fire danger indexes and determined the probability of occurrence of each by type, by months, for each station.³

¹Schroeder, M. J., et al. Synoptic weather types associated with critical fire weather. Pacific SW. Forest & Range Exp. Sta., U.S. Forest Serv., Berkeley, Calif. 492 pp. 1964. Copies of this report may be purchased from the Clearinghouse for Federal Scientific and Technical Information, U.S. Department of Commerce, Springfield, Virginia 22151.

²Hull, M. K., C'Dall, C. A., and Schroeder, M. J. Critical fire weather patterns--their frequency and levels of fire danger. Pacific SW. Forest & Range Exp. Sta., U.S. Forest Serv., Berkeley, Calif. 43 pp., illus. 1966. Copies of this report may be purchased from the Clearinghouse for Federal Scientific and Technical Information, U.S. Department of Commerce, Springfield, Virginia 22151.

³Chandler, C. C., and Schroeder, M. J. Probability of effective post-attack fire-fighting in wildlands. U.S. Office of Civil Defense Res. Rep. 10, 9 pp. 1965. (Limited distribution.)

OCD REVIEW NOTICE

This report has been reviewed in the Office of Civil Defense and approved for publication. Approval does not signify that the contents necessarily reflect the views and policies of the Office of Civil Defense. Distribution of this document is unlimited.

Contract OCD-PS-65-27--Work Unit 2535A

Forest Service - U. S. Department of Agriculture

The four types of fire behavior are as follows:

- Fire Out: Sustained ignition in natural fuels will not occur.
- No Spread: Sustained ignition will occur, but the resulting fires will not spread beyond the radius of initial ignition and will go out by themselves unless the weather becomes more favorable for combustion.
- Actionable: Fires will start and spread, but their intensity and rate of spread will be such that successful control efforts are possible.
- Critical: Fire spread and intensity will be such that successful control efforts are unlikely under post-attack fire-fighting limitations.

For this note, the probability of the fire danger index falling into each of the four types for each station and each month was calculated from the original frequency distributions and plotted on an appropriate map (figs. 1 - 12).⁴

The four types of fire behavior are mutually exclusive. Taken together they include all possible types of fire behavior. Thus, for any given station the sum of the probabilities of the four is unity.

Isolines were drawn for intervals of 0.1 probability to show at a glance the areal pattern. Areas of zero probability were shaded, and areas where the probability of "Actionable" or "Critical" is greater than 0.5 were hatched.

Although these maps are intended primarily for civil defense purposes, they can also be useful in normal peacetime fire planning. The seasonal changes in fire danger are clearly shown. For example, during the winter months, portions of the Southwest have a high probability (over 0.5) of "Actionable" conditions. During the spring, this condition spreads to the north and east, fluctuates somewhat in the Southeast in summer, then retreats again to the Southwest as winter approaches.

In using the probability maps it must be understood that the fire danger index used is based only upon weather conditions; fuels and topography were not included. Sparse or heavy fuels and steep or flat terrain are

⁴Thanks are due Mrs. Sara L. Breuer for calculating the probabilities and plotting them on maps.

additional factors in determining whether fire-fighting efforts will be effective, and must be considered. Snow on the ground was not considered directly in calculating the fire danger index. In most instances, when the ground was snow-covered, the other weather elements were such as to result in low fire danger indexes. This is not always the case, however, and the probability of the ground being snow-covered is additional information that can be considered in fire-control planning. Such probability maps were published in a previous report.⁵

The Authors _____

MARK J. SCHROEDER, on assignment to this Station from the U.S. Weather Bureau, is responsible for fire meteorology studies, with headquarters at the Station's Forest Fire Laboratory, Riverside, Calif. **CRAIG C. CHANDLER** is Assistant Director, Division of Forest Fire Research, U.S. Forest Service, Washington, D.C.

ACCESSION for	
CFSTI	WHITE SECTION <input checked="" type="checkbox"/>
DOC	DIFF SECTION <input type="checkbox"/>
U.S. "OUNCED	<i>Per statement on Doc</i>
U.S. SECTION	
<i>FM</i>	
DISTRIBUTION/AVAILABILITY CODES	
DIST.	AVAIL. and/or SPECIAL
/	

⁵Schroeder, et al. Op. cit.







Figure 1.--Four types of fire behavior and their probability of occurrence were developed from fire danger indexes based on weather in January 1951-1960. Isolines are drawn at 0.1 probability intervals. Shaded areas represent zero probability; hatched areas show probability exceeds 0.5.







Figure 2.--Four types of fire behavior and their probability of occurrence were developed from fire danger indexes based on weather in February 1951-1960. Isolines are drawn at 0.1 probability intervals. Shaded areas represent zero probability; hatched areas show probability exceeds 0.5.







Figure 3.--Four types of fire behavior and their probability of occurrence were developed from fire danger indexes based on weather in March 1951-1960. Isolines are drawn at 0.1 probability intervals. Shaded areas represent zero probability; hatched areas show probability exceeds 0.5.







Figure 4.--Four types of fire behavior and their probability of occurrence were developed from fire danger indexes based on weather in April 1951-1960. Isolines are drawn at 0.1 probability intervals. Shaded areas represent zero probability; hatched areas show probability exceeds 0.5.






Figure 5.--Four types of fire behavior and their probability of occurrence were developed from fire danger indexes based on weather in May 1951-1960. Isolines are drawn at 0.1 probability intervals. Shaded areas represent zero probability; hatched areas show probability exceeds 0.5.







Figure 6.---Four types of fire behavior and their probability of occurrence were developed from fire danger indexes based on weather in June 1951-1960. Isolines are drawn at 0.1 probability intervals. Shaded areas represent zero probability; hatched areas show probability exceeds 0.5.







Figure 7.--Four types of fire behavior and their probability of occurrence were developed from fire danger indexes based on weather in July 1951-1960. Isolines are drawn at 0.1 probability intervals. Shaded areas represent zero probability; hatched areas show probability exceeds 0.5.







Figure 8.--Four types of fire behavior and their probability of occurrence were developed from fire danger indexes based on weather in August 1951-1960. Isolines are drawn at 0.1 probability intervals. Shaded areas represent zero probability; hatched areas show probability exceeds 0.5.







Figure 9.--Four types of fire behavior and their probability of occurrence were developed from fire danger indexes based on weather in September 1951-1960. Isolines are drawn at 0.1 probability intervals. Shaded areas represent zero probability; hatched areas show probability exceeds 0.5.







Figure 10.--Four types of fire behavior and their probability of occurrence were developed from fire danger indexes based on weather in October 1951-1960. Isolines are drawn at 0.1 probability intervals. Shaded areas represent zero probability; hatched areas show probability exceeds 0.5.




Figure 11.--Four types of fire behavior and their probability of occurrence were developed from fire danger indexes based on weather in November 1951-1960. Isolines are drawn at 0.1 probability intervals. Shaded areas represent zero probability; hatched areas show probability exceeds 0.5.




Figure 12.--Four types of fire behavior and their probability of occurrence were developed from fire danger indexes based on weather in December 1951-1960. Isolines are drawn at 0.1 probability intervals. Shaded areas represent zero probability; hatched areas show probability exceeds 0.5.

DOCUMENT CONTROL DATA - R&D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author) USDA, FOREST SERVICE, Pacific SW. Forest & Range Experiment Station, Berkeley, California		2a. REPORT SECURITY CLASSIFICATION Unclassified	
		2b. GROUP Unclassified	
3. REPORT TITLE Monthly Fire Behavior Patterns			
4. DESCRIPTIVE NOTES (Type of report and inclusive dates) final report			
5. AUTHOR(S) (Last name, first name, initial) Schroeder, Mark J. Chandler, Craig C.			
6. REPORT DATE June 1966		7a. TOTAL NO. OF PAGES 15	7b. NO. OF REFS 5
8a. CONTRACT OR GRANT NO. OCD Contract OCD-PS-65-27 Work unit 2535A		9a. ORIGINATOR'S REPORT NUMBER(S)	
c. d.		9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)	
10. AVAILABILITY/LIMITATION NOTICES Distribution of this document is unlimited.			
11. SUPPLEMENTARY NOTES		12. SPONSORING MILITARY ACTIVITY	
13. ABSTRACT From tabulated frequency distributions of fire danger indexes for a nationwide network of 89 stations, the probabilities of four types of fire behavior ranging from 'fire out' to 'critical' were calculated for each month and are shown in map form.			

14. KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
Fire Danger Rating Fire Weather Probability						

INSTRUCTIONS

1. **ORIGINATING ACTIVITY:** Enter the name and address of the contractor, subcontractor, grantee, Department of Defense activity or other organization (*corporate author*) issuing the report.

2a. **REPORT SECURITY CLASSIFICATION:** Enter the overall security classification of the report. Indicate whether "Restricted Data" is included. Marking is to be in accordance with appropriate security regulations.

2b. **GROUP:** Automatic downgrading is specified in DoD Directive 5200.10 and Armed Forces Industrial Manual. Enter the group number. Also, when applicable, show that optional markings have been used for Group 3 and Group 4 as authorized.

3. **REPORT TITLE:** Enter the complete report title in all capital letters. Titles in all cases should be unclassified. If a meaningful title cannot be selected without classification, show title classification in all capitals in parenthesis immediately following the title.

4. **DESCRIPTIVE NOTES:** If appropriate, enter the type of report, e.g., interim, progress, summary, annual, or final. Give the inclusive dates when a specific reporting period is covered.

5. **AUTHOR(S):** Enter the name(s) of author(s) as shown on or in the report. Enter last name, first name, middle initial. If military, show rank and branch of service. The name of the principal author is an absolute minimum requirement.

6. **REPORT DATE:** Enter the date of the report as day, month, year; or month, year. If more than one date appears on the report, use date of publication.

7a. **TOTAL NUMBER OF PAGES:** The total page count should follow normal pagination procedures, i.e., enter the number of pages containing information.

7b. **NUMBER OF REFERENCES:** Enter the total number of references cited in the report.

8a. **CONTRACT OR GRANT NUMBER:** If appropriate, enter the applicable number of the contract or grant under which the report was written.

8b, 8c, & 8d. **PROJECT NUMBER:** Enter the appropriate military department identification, such as project number, subproject number, system numbers, task number, etc.

9a. **ORIGINATOR'S REPORT NUMBER(S):** Enter the official report number by which the document will be identified and controlled by the originating activity. This number must be unique to this report.

9b. **OTHER REPORT NUMBER(S):** If the report has been assigned any other report numbers (*either by the originator or by the sponsor*), also enter this number(s).

10. **AVAILABILITY/LIMITATION NOTICES:** Enter any limitations on further dissemination of the report, other than those imposed by security classification, using standard statements such as:

- (1) "Qualified requesters may obtain copies of this report from DDC."
- (2) "Foreign announcement and dissemination of this report by DDC is not authorized."
- (3) "U. S. Government agencies may obtain copies of this report directly from DDC. Other qualified DDC users shall request through _____."
- (4) "U. S. military agencies may obtain copies of this report directly from DDC. Other qualified users shall request through _____."
- (5) "All distribution of this report is controlled. Qualified DDC users shall request through _____."

If the report has been furnished to the Office of Technical Services, Department of Commerce, for sale to the public, indicate this fact and enter the price, if known.

11. **SUPPLEMENTARY NOTES:** Use for additional explanatory notes.

12. **SPONSORING MILITARY ACTIVITY:** Enter the name of the departmental project office or laboratory sponsoring (paying for) the research and development. Include address.

13. **ABSTRACT:** Enter an abstract giving a brief and factual summary of the document indicative of the report, even though it may also appear elsewhere in the body of the technical report. If additional space is required, a continuation sheet shall be attached.

It is highly desirable that the abstract of classified reports be unclassified. Each paragraph of the abstract shall end with an indication of the military security classification of the information in the paragraph, represented as (TS), (S), (C), or (U).

There is no limitation on the length of the abstract. However, the suggested length is from 150 to 225 words.

14. **KEY WORDS:** Key words are technically meaningful terms or short phrases that characterize a report and may be used as index entries for cataloging the report. Key words must be selected so that no security classification is required. Identifiers, such as equipment model designation, trade name, military project code name, geographic location, may be used as key words but will be followed by an indication of technical context. The assignment of links, rules, and weights is optional.